



## **CERTIFICATE OF ANALYSIS No.: 2023-10896**

## CLIENT

Natural Hemp Life, Panska 5 / 26 00-124 Warszawa, Poland

## SAMPLE \*

Sample ID:

Sample type:

Batch No.: \*

LEMON HAZE - PREMIUM CBD BUDS

2302015

Plant material

 Work order:
 2023-107212

 Analysis ID:
 2023\_006

 Method ID:
 PHL\_RPC\_16C

 Method SOP:
 MET-LAB-003-02



Sample received:09/01/2023Start of analysis:10/01/2023End of analysis:11/01/2023Analyst:Blaž Janežič

\* Information provided by the client.

Sample condition: SUITABLE

CANNABINOID PROFILE		Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV	- Cannabidivarin	< LOQ	n/a	
CBDA	- Cannabidiolic acid	13.14	0.66	
CBGA	- Cannabigerolic acid	1.076	0.075	
CBG	- Cannabigerol	0.106	0.027	I
CBD	- Cannabidiol	0.661	0.066	
THCV	- Tetrahydrocannabivarin	< LOQ	n/a	
CBN	- Cannabinol	< LOQ	n/a	
∆ <sup>9</sup> -THC	- Δ-9-Tetrahydrocannabinol	0.067	0.015	
∆ <sup>8</sup> -THC	- Δ-8-Tetrahydrocannabinol	< LOQ	n/a	
CBL	- Cannabicyclol	< LOQ	n/a	
CBC	- Cannabichromene	0.048	0.011	L
∆ <sup>9</sup> -THCA	<b>Α</b> - Δ-9-Tetrahydrocannabinolic acid	0.487	0.083	-
CBE	- Cannabielsoin	< LOQ #	n/a	
CBV	- Cannabivarin	< LOQ #	n/a	
CBCA	- Cannabichromenic acid	0.557 #	0.056	-
СВТ	- Cannabicitran	0.080 #	0.018	

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received and tested. **Expanded Uncertainty** was calculated using coverage factor k = 2, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

11/01/2023

End of Certificate

mag. Janja Ahej Analytical Laboratory Manager

Approved by:

Authorized by: 1/ste

dr. Boštjan Jančar Chief Technology Officer