

CERTIFICATE OF ANALYSIS No.: 2024-14319

CLIENT

Natural Hemp Life Sweden, Pottenborgsvägen 17
26357 Höganäs, Sweden



SAMPLE *

CBD Olja 3% 300mg - För Katter

Sample condition: SUITABLE
Sample ID: 2415007
Sample type: Viscous liquid
Batch No.: *

Work order: 2024-110071
Analysis ID: 2024_126
Method ID: PHL_RPC_16C
Method SOP: MET-LAB-001-08

Sample received: 09/04/2024
Start of analysis: 09/04/2024
End of analysis: 10/04/2024
Analyst: Nika Peterka

* Information provided by the client.

CANNABINOID PROFILE		Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV	- Cannabidivarin	< LOQ	n/a	_____
CBDA	- Cannabidiolic acid	< LOQ	n/a	_____
CBGA	- Cannabigerolic acid	< LOQ	n/a	_____
CBG	- Cannabigerol	0.057	0.017	█_____
CBD	- Cannabidiol	3.24	0.16	██████████_____
THCV	- Tetrahydrocannavarin	< LOQ	n/a	_____
CBN	- Cannabinol	< LOQ	n/a	_____
Δ⁹-THC	- Δ-9-Tetrahydrocannabinol	< LOQ	n/a	_____
Δ⁸-THC	- Δ-8-Tetrahydrocannabinol	< LOQ	n/a	_____
CBL	- Cannabicyclol	< LOQ	n/a	_____
CBC	- Cannabichromene	< LOQ	n/a	_____
Δ⁹-THCA	- Δ-9-Tetrahydrocannabinolic acid	< LOQ	n/a	_____
CBV	- Cannabivarin	< LOQ	n/a	_____
CBCA	- Cannabichromenic acid	< LOQ	n/a	_____
CBT	- Cannabicitran	< LOQ	n/a	_____
CBE	- Cannabielsoin	0.053 #	0.015	█_____

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received and tested. **Expanded Uncertainty** was calculated using coverage factor $k = 2$, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

10/04/2024

Approved by:



mag. Janja Ahej
Analytical Laboratory Manager

Authorized by:



dr. Boštjan Jančar
Chief Technology Officer

End of Certificate